


3


1/6



2/6

22

FIG. 2



09824997-031601

3/6

60

FIG. 3

A dialog box titled "Filter TL1Event" with a standard window control bar. It contains two main sections. The first section, "Find NE ID", includes a dropdown menu labeled "NE ID" with "Starts With" selected, a text input field labeled "Value" containing the number "64", and a checked checkbox labeled "Case Sensitive". The second section, "Event Types", contains a grid of checkboxes: "Unparsed", "Received Raw", "Response", "Send Raw", "Command", "Autonomous", and "Acknowledgement", all of which are checked. Below the checkboxes is a text input field containing the number "62". At the bottom of the dialog are five buttons: "OK", "Cancel", "Select All", "Clear All", and "Help".


70

FIG. 4

A dialog box titled "TL1 Console Rearrange Attributes" with a standard window control bar. It features two lists: "Attribute List" on the left and "Selected List" on the right. The "Attribute List" contains the items "Parsable", "TL1Type", "UserName", "TimeStamp", "MsgID", and "NEID". The "Selected List" contains the item "TL1Msg". Between the lists are four buttons: "Add", "Add All", "Remove", and "Remove All". To the right of the "Selected List" are two buttons: "Go Up" and "Go Down". At the bottom of the dialog are three buttons: "OK", "Cancel", and "Help".


4/6

FIG. 5




5/6

FIG. 6



09824997.081601

6/6



098497-081E01